

Declaration of compliance

56002 - Ergonomic shovel, large blade, 1150 mm, Green Regarding following items:

> 56012 - Ergonomic shovel, large blade, 1290 mm, Green 56102 - Ergonomic shovel, small blade, 1100 mm, Green 56112 - Ergonomic shovel, small blade, 1250 mm, Green

56212 - Shovel, small blade, 1265 mm, Green

Producer: Vikan A/S

> Rævevei 1 7800 Skive Denmark

Tel.: +45 96 14 26 00

Materials: Polypropylene PPC 98 %

> Monomers and additives used to manufacture this grade are listed in Commision Regulation (EU) No. 10/2011 of 14. January 2011 on plastic materials and articles intended to come into contact with foodstuffs. Current amendments 321/2011 (1. April 2011), 1282/2011 (10. December 2011), 1183/2012 (30. November 2012) and 2015/174 (5. February 2015) are included.

Additives with specific migration limit (SML) are present in the polypropylene. All used monomers and additives are listed in 10/2011 annex 1.

Green masterbatch 2 %

Monomers and additives used to manufacture this grade are listed in Commision Regulation (EU) No. 10/2011 of 14. January 2011 on plastic materials and articles intended to come into contact with foodstuffs. Current amendments 321/2011 (1. April 2011), 1282/2011 (10. December 2011), 1183/2012 (30. November 2012) and 2015/174 (5. February 2015) are included.

Following monomers and additives with specific migration limit (SML) are used in the green masterbatch:

Ref no. 24500/89040, cas no. 57-11-4, Stearic acid; ref no. 13380/25600/94960, cas no. 77-99-6, 1,1,1-trimethylolpropan and ref. no 68320, cas no. 2082-79-3, octadecyl-3-(3,5-di-tert-butyl-4hydroxyphenyl) propionat. Calculations have proven that the product meets the requirement regarding

Following dual use additives are used: Carbonic acids (salts), Glycerol esters, Silicon dioxide and Stearic acid.

Aluminium tube

Aluminium Alloy 5449 welded tubes comply with the maximum permissible content of elements for foodstuff application conform EN 602:2004 Aluminium and aluminium alloys- Wrought products Chemicals composition of semi-finished products used for the fabrication of articles for use in contact with foodstuff.

FDA: All raw materials in this product are in compliance with FDA (Food and Drug Administration in the USA)

EU Commission: In accordance with EU Commission Regulation no. 1935/2004 of October 2004 the product is intended

for food contact. The product can be marked with the "glass & fork" symbol on the packaging or on the product itself through moulding.

The product is produced according to EU Commission Regulation no. 2023/2006 on good manufacturing practices for materials and articles intended to come into contact with food (GMP).

Overall migration tests are made on similar products. The tests were carried out for 30 minutes at 80 °C followed by 10 days at 40 °C. The product meets the requirements regarding overall migration to 50 %

ethanol, 3 % acetic acid and olive oil.

Food contact: No limitation

Usage temperature: Min. temp.: -20 °C

Max. temp.: 80 °C

It is recommended that equipment is cleaned, disinfected and sterilised, as appropriate to it's intended General:

It is also important to clean, disinfect and sterilise equipment after use, using the appropriate

decontamination chemicals, concentrations, times and temperatures.

Appropriate equipment decontamination will minimise risk of microbial growth and cross contamination

and maximise the efficiency and durability of the equipment.

Max. Wash temp.: 121 °C

29th July 2015 Date:

Inger Arensbach Made by:

Quality Engineer