

## Declaration of compliance

Regarding following items: 41845

Brush w/Hand Guard, Medium, White

Producer: Vikan A/S

Rævevej 1 7800 Skive Denmark

Tel.: +45 96 14 26 00

Materials: Polypropylene PP/PPC, 98 % with White masterbatch, 2 %

Monomers and additives used to manufacture this grade are listed in Commision Regulation (EU) No. 10/2011 of 14. January 2011 on plastic materials and articles intended to come into contact with foodstuffs. Current admentments 321/2011 and

1282/2011 are included.

No monomers and additives with specific migration limit (SML) are used in the

Polypropylene or in the White masterbatch

White masterbatch contains the following "dual use" additive: TiO<sub>2</sub>.

Filaments made from polybutyleneterephtalate (PBT)

Monomers and additives used to manufacture this grade are listed in Commision Regulation (EU) No. 10/2011 of 14. January 2011 on plastic materials and articles intended to come into contact with foodstuffs. Current admentments 321/2011 (1.

April 2011) and 1282/2011 are included.

Regarding additives with Specifik Migration Limit (SML) and Dual Use Additives it is

to be determined at the moment.

FDA: All raw materials in this product are in compliance with FDA (Food and Drug

Administration in the USA) CFR 21.

EU Commission: In accordance with EU Commission Regulation no. 1935/2004 of October 2004 the

product is intended for food contact. The handle can be marked with the "glass &

fork" symbol on the packaging or by labeling.

The product is produced according to EU Commission Regulation no. 2023/2006 of 22. December 2006 on good manufacturing practices for materials and articles

intended to come into contact with food (GMP).

Overall migration tests are made on similar products. The products meet the requirements regarding overall migration to 50 % ethanol, 3 % acetic acid and olive

oil.

Food contact: No limitation

Usage temperature: Min. temp.: -20 °C

Max. temp.: 80 °C

General: It is recommended that equipment is cleaned, disinfected and sterilised, as

appropriate to it's intended use, before use.

It is also important to clean, disinfect and sterilise equipment after use, using the appropriate decontamination chemicals, concentrations, times and temperatures. Appropriate equipment decontamination will minimise risk of microbial growth and cross contamination and maximise the efficiency and durability of the equipment.

Max. Wash temp.: 121 °C

Date: 2nd April 2013

Made by: Inger Arensbach

Quality- and environmental manager