Scraper w/flexible steelblade, 260 mm, Red





Ideal for cleaning powder towers and other surfaces where extra force is needed to loosen dirt, this scraper has rounded edges and a flexible steel blade to protect surfaces from scratching. It can be used with any Vikan handle.

Technical Data

Item Number	29094
Blade Thickness	0.5 mm
Connection	Threaded
Material	Polypropylene Stainless Steel (AISI 301)
Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 ¹	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Complies with REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	800 Pcs
Quantity Per Layer (Pallet)	80 Pcs.
Box Length	320 mm
Box Width	270 mm
Box Height	135 mm
Product Length/Depth	32 mm
Product Width	260 mm
Product Height	175 mm
Net Weight	0.15 kg
Weight cardboard (Recycling symbol "20" PAP)	0.03 kg
Tare total	0.03 kg
Gross Weight	0.18 kg
Cubic metre	0.001456 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	170 °C
Max usage temperature (non food contact)	170 °C
Min. usage temperature ³	-20 °C
Max. drying temperature	120 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022019812

GTIN-14 Number (Box quantity)	15705028019806
Customs Tariff No.	82159910
Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.